## **ALS Ground Ambulance Inspection Form**

Name of Provider:	Inspects	ion Date: _	Location:	
Unit #:	License Number	:		
VEHICLE INFORM	IATION:			
Mileage:	CHP Inspection Date:		_ Communications Check:	
Year:	Make:	_ VIN #: _		
General Condition and	d Cleanliness:			
Exterior/Exterior Con	npartments:			
Interior/Interior Comp	partments:			
Patient Compartment	Doors (hinges, gaskets, late	ches, and pi	ins):	
Other:				

+Optional Item – An item marked with the plus (+) sign is an item available to be chosen by the provider but is not obligatory

	STANDARD INVENTORY For		MEETS STANDARDS/COMMENTS
	GROUND AMBULANCES	ALS	
1.	KED	1	
2.	Scoop Stretcher	1	
3.	Spinal Immobilization Board	2	
4.	Backboard Straps	3 sets	
5.	Pediatric Immobilization Device	1	
6.	Patient Carry Tarp	1	
7.	Burn Pack (clean sheets, towels, gown,	1	
	sterile gloves)		
8.	Rigid Collars adjustable – Adult and	4 each	
	Pediatric		
9.	Foam Head Restraints or Comparable	3	
	Device	3	
10.	Cold Packs	4	
11.	Hot Packs	4	
12.	Traction Splints (adult & pediatric)	1 each	

	STANDARD INVENTORY For GROUND AMBULANCES	ALS	MEETS STANDARDS/COMMENTS
13.	Rigid Extremity Splints (leg & arm, pediatric and adult)	1 each	
14.	Petroleum Jelly Gauze (Sterile)	4	
15.	5 x 9 ABD Pad	4	
16.	4 x 4 Sterile Compress	4	
17.	4" Curlex Rolls	4	
18.	Bandage Shears	1	
19.	10 x 30 inch or Large Universal Dressing	2	
20.	Rolls of Tape – one must be		
20.	hypoallergenic	Assorted	
21.	4 x 4's Non-Sterile	1	
		package	
22.	Hemostatic Dressings	2	
23.	Triangular Bandage	2	
24.	Exam gloves (Small, Medium, Large,	1 box	
25.	and X-Large) Non-Latex Exam Gloves (Small,	each size 2 pairs	
23.	Medium, Large and X-Large)	each	
26.	Thermometer, Medical Grade Non-	1	
	Contact Infrared Forehead		
27.	OB Commercial/Pre-packaged pack	1	
	meeting Title 13, Section 1103.2(a)(16)		
	requirements that also includes survival blanket and scalpel		
28.	Oral Pharyngeal Airways (sizes 00	_	
	through 6)	2 sets	
29.	Nasal Pharyngeal Airways (sizes peds	2 sets	
20	through adult)	2 5005	
30.	Bag-Valve Device (Adult, Pediatric, neonate)	1 each	
31.	Wall Mounted Flow Meters, Capable of	2	
	0-15 Liter Per Minute Flow		
32.	Nasal Cannulas (adult)	6	
33.	Nasal Cannulas (pediatric)	4	
34.	Oxygen Mask with Reservoirs (adult and	4 each	
25	pediatric)		
35.	Oxygen Supply > 10 liters/min x 20 minutes	1	
36.	Portable Oxygen Supply with Bottle and	2	
	Regulator	2	
37.	Wrench for Oxygen Valve	1	
38.	Suction Handle Tip Rigid Catheters	2	
39.	Non-collapsible suction tubing	2	
40.	Suction devices, stationary & portable.	1 each	
41.	Suction catheters size 6 – 14 French	1 each	
42.	Bite stick	2	
43.	Perilaryngeal or Supraglottic Airway	2 each	
	Device - King Airway or I-Gel	size	
	manufacturer recommended sizing – Adult and Pediatric		
	radit and rediame		

	STANDARD INVENTORY For GROUND AMBULANCES	ALS	MEETS STANDARDS/COMMENTS
44.	Bougie	2	
45.	ETCO2 Detector (colormetric is no longer required)	2	
46.	12-lead EKG Monitor with paper print out capable of transcutaneous pacing; wave form capnography with recording capability; defibrillator with variable	1	
	power control and a range capability of 25-360 joules (or clinically equivalent biphasic energy doses). All monitor/defibrillators shall have the capability to perform synchronized cardioversion		
47.	CPAP device capable of delivering adjustable pressures ranging from 5 - 10 cm H <sub>2</sub> O with FiO <sub>2</sub> concentrations equal to or greater than 30% oxygen and capable of fitting small, medium and large adult sizes .	1 each	
48.	Laryngoscope Handle with 1set of spare batteries	2	
49.	Video Laryngoscope + with Approval of Agency Medical Director	1	
50.	Laryngoscope blades 1 set (sizes 4 to 0) Miller	1 set	
51.	Laryngoscope blades 1 set (sizes 4 to 1) Mac	1 set	
52.	Endotracheal tubes and adapters ranging in size from and 5.5 through 9.5 (cuffed) in increments of 0.5 mm.	1 set	
53.	Endotracheal tube stylets to fit all size tubes	1 set	
54.	McGill forceps both child and adult sizes	1 each	
55.	Water soluble lubrication jelly	3	
56.	Nebulizer (hand-held and mask style)	2 each	
57.	Jet Insuflation Device capable of delivering 50 psi with on-off valve and Luer Lock Tip	1	
58.	IV Catheter Needles Size 10 or 12 gauge OR approved NCD Kit	2	
59.	Blood Pressure cuff adult	2	
60.	Blood Pressure cuffs pediatric and extra long	1 each	
61.	Broselow Tape - latest version or an approved Length Based Tape	1	
62.	Stethoscope	1	
63.	Normal Saline for Irrigation 1000 ml	4	
64.	Sheets, pillows, pillowcases, towels	2 sets	
65.	Blankets	2	
66.	Ankle and wrist restraints	1 set	

	STANDARD INVENTORY For GROUND AMBULANCES	ALS	MEETS STANDARDS/COMMENTS
67.	Emesis Basin/Bag	4	
68.	Bedpan	1	
69.	Urinal	1	
70.	Antibacterial disinfectant solution for cleanup	1	
71.	EpiRite Syringe	0	
72.	Pulse Oximeter	1	
73.	Glucose Monitoring System	1	
74.	Adenosine 6 mg/2 ml concentration	36 mg	
75.	Albuterol 3 ml of a .5% solution	8	
76.	Amiodarone 150 mg/3ml ampule (Provider must carry either Amiodarone or Lidocaine or both, if they choose)	6 ampules	
77.	Aspirin (chewable) tablets	16 tablets	
78.	Atropine Sulfate 1 mg/10 ml concentration (1 mg preload)	2	
79.	Atropine Sulfate 20 ml of a .4 mg/1 ml concentration	1 vial	
80.	Calcium Chloride	2 gm	
81.	Dextrose 25% (2.5 gm/preload)	2	
82.	Dextrose 50% preload 25 gm/50ml	2	
83.	Diphenhydramine (Benadryl) 50mg/1ml or a 25 mg/ml concentration	100 mg	
84.	Epinephrine 1:1,000 (1 mg/ml)	3 mg	
85.	Epinephrine 1:10,000 (1mg/10ml)	10 mg	
86.	Fentanyl 50 mcg/ml Maximum 400mcg (Provider must carry either Fentanyl or Morphine Sulfate or both, if they choose as outlined in MVEMSA Policy 439.00)	200 mcg	
87.	Glucagon 1mg/ml	2 mg	
88.	Instant Glucose	2 tubes	
89.	Ketamine +	100mg	
90.	Lidocaine 100mg/10ml (preloads) (Provider must carry either Amiodarone or Lidocaine or both if they choose)	3	
91.	<i>Y</i>		
92.	Midazolam (Versed) as outlined in MVEMSA Policy 439.00 –20 mg(5mg/ml)Maximum – 40 mg	20 mg	
93.	Morphine Sulfate –Maximum – 60 mg (Provider must carry either Fentanyl or Morphine Sulfate or both if they choose as outlined in MVEMSA Policy 439.00)	20 mg	
94.	Mucosal Atomizer 3ml	4	
95.	Naloxone (Narcan)	8 mg	

	STANDARD INVENTORY For GROUND AMBULANCES	ALS	MEETS STANDARDS/COMMENTS
96.	Nitroglycerine spray bottle capable of	1 bottle	
	providing a metered dose of 0.4	with sufficient	
	mg/spray	supply to	
		treat 2	
		patients	
97.	Nitroglycerine 0.4 Tablets +	16	
98.	Nitroglycerine Paste 2% ointment with	tablets	
98.	tape for application	ointment	
99.	tupe for appreciation		
100.	Odansetron (Zofran) 4.0 mg tablets or 4 mg/2 ml vials	4	
101.	Sodium Bicarbonate 50 mEq/50 ml concentration	2	
	TXA 1000 mg/10 ml	2	
-	Betadine Preps	5	
104.	Band-Aids Miscellaneous sizes	1 package	20
105.	Medication added labels	Multiple	
	Intraosseous Needles (Stainless Steel) 15, 25 & 45	5each	
	IO Drill +	1 each	1
108.	IV Catheter Needles Sizes 14 through 22	5 each	
109.	Huber Needle 20 gauge, 1", bent tip, non-coring	2	
110.		3 each	
111.	Normal Saline 1000 ml must be kept within a range of 100 to 110 degrees Fahrenheit. This cache of solution must be dated and either used or discarded within 28 days of warming.	2	
112.			
113.	Normal Saline 100 ml	2	
114.	Normal Saline 1000 ml	6	
115.	Macro-Drip Set (10-20 gtts/ml)	6	
	Micro-Drip Set (60 gtts/ml)	2	
117.		2	
118.	Extension Tubing	6	
119.	Syringes 1, 3, 5, 10, 60 ml	2 each	
	IV Tourniquets	5	
121.	Sharps Container(s) as necessary, incl. one in ambulance and one in EMS bag	2	
122.	_	Multiple	
123.	-	20	

	STANDARD INVENTORY For GROUND AMBULANCES	ALS	MEETS STANDARDS/COMMENTS
124.	Defibrillator Pads – Adult and Pediatric	2	
125.	12-lead Monitor cables (one with	2 sets	
	monitor, one back-up)		
126.	Charged batteries (backups for	1	
	defibrillator)		
127.	MCI Kit containing the following: Set of	1	
	five MCI vests per Agency Policy		
	810.00; 25 triage tags; Set of ICS Forms as specified in MVEMSA Policy 810.00;		
	Complete set of oral airways ranging		
	from sizes 0-6; 4 additional airways in		
	each of the following sizes 4,5,6; 4 - 4 x		
	4 trauma compresses with ties; 4 -		
	Tourniquets; Pair of bandage		
	scissors/shears;		
128.	Radio able to communicate with	1	
	authorized dispatch center in area of		
	operation.		
129.		1	
	communications on appropriate med-net		
	frequencies and private line tones with hospitals and DCF in unit's service area		
	and surrounding counties. Radios used		
	for communication with hospital must be		
	accessible in the patient compartment.	A \	·
130.	Portable radio able to transmit and	1	
	receive communications with authorized		
	dispatch center in area of operation.		
131.	Cell Phone in compliance with	<i>'</i>	
131.	contractual requirements	1	
132.	Satellite Phone +	1	
132.	Saternite Filone +	1	

## D. Recommended Inventory

The following matrix contains equipment and medical supplies recommended to be available to EMS responders on their person, in the unit, or in quarters for dispatch to the scene if necessary.

Recommended ITEMS per person	Carried, Stored in Unit or In Quarters	
Hard hat – Work helmet (Blue)	Unit	1 per person
Eye Protection	Carried	1 per person
Hearing Protection	Carried	1 per person
Body Garment(uniform blue)	Carried	1 per person
Garment – single use	Unit	1 per person
Hooded, chemical resistant clothing	Quarters	1 per person
Jacket – EMS w/reflective stripes	Unit	1 per person
Gloves – chemical-protective Nitrile	Unit	1 box
Gloves work	Unit	1 pair per person
Footwear worn	Carried	1 pair per person
Footwear covers	Unit	1 pair per person
N-100 or N-95 mask	Unit	5
Escape Hood	Carried	1 per person
Flashlight or headlamp	Carried	1 per person
Knife, folding	Carried	1 per person

Recommended ITEMS per person	Carried, Stored in Unit or In Quarters	
Scissors/Shears	Carried	1 per person
Stethoscope	Carried	1 per person
Personal communication device (radio)	Carried	1 per person
Mark I Auto-injector Kit	Unit	1 per person
Recomm	ended Extended Operations Equipment	
Daypack –with the following equipment		1
One quart water		1
One water purification unit		1
One set of rain gear		1
Set of emergency garments		1
MRE's for 72 hrs.		1
1 set ear protection		1
Mark I Auto-injector Kit		1
Field Operations Guide (FOG)		1

Form Continued on Next Page

Check Appropriate Box	Finding
	PASS – Vehicle met all of the requirements of MVEMSA Policy 407.00 - Ground Ambulance Equipment and Medical Supply Inventory
	INITIAL FAILURE – PASS UPON IMMEDIATE RESUPPLY – Vehicle did not meet the minimum requirements outlined in MVEMSA Policy 407.00 – Ground Ambulance Equipment and Medical Supply Inventory at the time of inspection. Vehicle was able to immediately be re stocked with missing equipment and/or drugs. Please list the equipment and/or drugs that were missing during the initial inspection:
	<b>FAILURE – OUT OF SERVICE</b> – Vehicle did not meet the minimum requirements outlined in MVEMSA Policy 407.00 – Ground Ambulance Equipment and Medical Supply Inventory at the time of initial inspection and Provider was not able to immediately re stock the vehicle. If inspection results in a finding of "Failure – Out of Service", the Provider must notify the Response and Transport Coordinator at 209-988-6338 within 2 hours of said finding.

may cause a finding of being in material breach of our	company's ambulance provider agreement.
Inspection Conducted By:	Date:
I hereby certify under penalty of perjury that all inform the best of my knowledge and belief, and I understand may cause a finding of being in material breach of our	that any falsification or omission of material facts
Provider Manager or Supervisor Signature:	Date:

I hereby certify under penalty of perjury that all information on this inspection form is true and correct to the best of my knowledge and belief, and I understand that any falsification or omission of material facts